


EPC-05

## Magnetic holders



COD	MOD	A	B	C	Kg
29003	Q1	8,5 cm	8,5 cm	1,5 cm	0,30
29004	Q2	11 cm	11 cm	1,8 cm	0,65
29005	Q3	14 cm	14 cm	2 cm	1,20

10

### Main features:

- For welding work at 45° and 90°
- For professional industrial use
- Bakelite protected permanent ferrite magnet.


### Materials and Finishing:

-Ral 2002 orange Epoxy painted 1.5 mm thick sheet metal for Q1 and 2.55 mm thick for Q2 and Q3

-Bakelite (insulating material unaffected by heat) interior and exterior metal protection

-Permanent ferrite magnet:

Q1: 60-32/10mm  
Q2: 80-40/12mm  
Q3: 100-60/15mm



-Metric 4 end threaded screws for the bakelite protectors, 3 for Q1 and 5 for Q2 and Q3. Passing through completely and being end threaded holds the two sheet metal pieces tightly together for the tool's whole working life.

### **Packing and labelling:**

Individual PET blister packs

EAN- 13 code

How to use instructions on back of the blister card

Boxes of 10 pieces each



### **Applicable Rule:**

**Manufactured in Taiwan .**

The articles are vigorously tested in our quality control department to ensure maximum product guarantee by carrying out all necessary tests

There is no applicable security rule

Industrias Piqueras works following quality standards ISO 9001 and ISO 14001

